

```
#=0x0155b7c0 [0,0]
```

Contents: [Dobrica PavlinuÅjiÄ 's random unstructured stuff]

- [Dobrica PavlinuÅjiÄ 's random unstructured stuff \(Create VE\)](#)
- [Dobrica PavlinuÅjiÄ 's random unstructured stuff \(Seaside\)](#)
 - ◆ [Dobrica PavlinuÅjiÄ 's random unstructured stuff \(Startup\)](#)
- [Dobrica PavlinuÅjiÄ 's random unstructured stuff \(Front-end HTTP proxy\)](#)
- [Dobrica PavlinuÅjiÄ 's random unstructured stuff \(Monitoring\)](#)
 - ◆ [Dobrica PavlinuÅjiÄ 's random unstructured stuff \(Test\)](#)
- [Dobrica PavlinuÅjiÄ 's random unstructured stuff \(More info\)](#)

This page documents my attempt to install Seaside as loadbalanced configuration with multiple squeak images under OpenVZ

Create VE

```
# download template
root@mljac:~# cd /var/lib/vz/template/cache
root@mljac:~# wget http://download.openvz.org/template/precreated/contrib/debian-5.0-i386-minimal

root@mljac:~# vzctl create 1001 --ostemplate debian-5.0-i386-minimal --ipadd 10.0.0.1 --hostname

# configure
root@mljac:~# vzctl set 1011 --nameserver 192.168.1.2 --save
```

Use something like [vz-nat.sh](#) to configure NAT on your OpenVZ machine.

Seaside

```
# dependencies

root@seaside:/srv# apt-get install unzip

root@seaside:/srv# wget -nd -nH http://www.seaside.st/distributions/Seaside-2.8.3.app.zip
root@seaside:/srv# unzip Seaside-2.8.3.app.zip
Archive:  Seaside-2.8.3.app.zip

root@seaside:/srv# ln -s Seaside-2.8-578.app seaside

Adding new group `squeak' (1000) ...
Adding new user `squeak' (1000) with group `squeak' ...
Not creating home directory `/home/squeak'.

root@seaside:/srv# chown -R squeak:squeak Seaside-2.8-578.app/
```

Startup

[Seaside.sh](#) - use something like this script to start headless squeak.

Actual `-headless` option didn't seem to work for me

Front-end HTTP proxy

`nginx_0.7.31-1_i386.deb`

Contents: [Dobrica Pavlinu's random unstructured stuff]

- [Dobrica Pavlinu's random unstructured stuff \(Links\)](#)
- [Dobrica Pavlinu's random unstructured stuff \(Compilation and packaging\)](#)
- [Dobrica Pavlinu's random unstructured stuff \(Installation\)](#)
- [Dobrica Pavlinu's random unstructured stuff \(Changes\)](#)

Links

- <http://jimmyg.org/2007/12/07/nginx-proxying-to-pylons-with-ssl-on-debian-etch/>
- <https://calomel.org/nginx.html>

Compilation and packaging

```
dpavlin@llin:/rest/unix/www$ wget http://sysoev.ru/nginx/nginx-0.7.31.tar.gz
```

```
dpavlin@llin:/rest/unix/www$ tar tvfz nginx-0.7.31.tar.gz
```

```
dpavlin@llin:/rest/unix/www/nginx-0.7.31$ ./configure --with-http_ssl_module --prefix=/srv/nginx
```

```
make
```

```
sudo checkinstall
```

Installation

```
root@seaside:~# dpkg -i nginx_0.7.31-1_i386.deb
Selecting previously deselected package nginx.
(Reading database ... 8333 files and directories currently installed.)
Unpacking nginx (from nginx_0.7.31-1_i386.deb) ...
Setting up nginx (0.7.31-1) ...
root@seaside:~# cd /srv/nginx/
```

Changes

[git.rot13.org Git - nginx.git/rss log](http://git.rot13.org/Git/nginx.git/rss/log)

- [fix extension](#)

fix extension

- ◆ [DH] [nginx_upstream_hash/NginxHttpUpstreamRequestHashModule.html](#)
- ◆ [DH] [nginx_upstream_hash/NginxHttpUpstreamRequestHashModule.html](#)
- <http://wiki.codemongers.com/NginxHttpUpstreamRequestHashModule>

wiki.codemongers.com/NginxHttpUpstreamRequestHashModule

- ◆ [DH] [nginx_upstream_hash/NginxHttpUpstreamRequestHashModule.html](#)
- [patch -p0 < ../nginx_upstream_hash/nginx.patch](#)

`patch -p0 < ../nginx_upstream_hash/nginx.patch`

- ◆ [DH] [nginx/src/http/nginx_http_upstream.h](#)
- [nginx_upstream_hash-0.3.tar.gz](#)
<http://wiki.codemongers.com/NginxHttpUpstreamRequestHa...>

[nginx_upstream_hash-0.3.tar.gz](#) wiki.codemongers.com/NginxHttpUpstreamRequestHashModule

- ◆ [DH] [nginx_upstream_hash/CHANGES](#)
- ◆ [DH] [nginx_upstream_hash/CREDITS](#)
- ◆ [DH] [nginx_upstream_hash/README](#)
- ◆ [DH] [nginx_upstream_hash/config](#)
- ◆ [DH] [nginx_upstream_hash/nginx.patch](#)
- ◆ [DH] [nginx_upstream_hash/nginx_http_upstream_hash_module.c](#)
- ◆ [DH] [nginx_upstream_hash/t/clean.sh](#)
- ◆ [DH] [nginx_upstream_hash/t/hashtest.php](#)
- ◆ [DH] [nginx_upstream_hash/t/nginx.conf](#)
- ◆ [DH] [nginx_upstream_hash/t/nginx/conf/nginx.conf](#)
- ◆ [DH] [nginx_upstream_hash/t/restart.sh](#)
- [upstream nginx-0.7.31](#)

`upstream nginx-0.7.31`

- ◆ [DH] [nginx/CHANGES](#)
- ◆ [DH] [nginx/CHANGES.ru](#)
- ◆ [DH] [nginx/LICENSE](#)
- ◆ [DH] [nginx/README](#)
- ◆ [DH] [nginx/auto/cc/acc](#)
- ◆ [DH] [nginx/auto/cc/bcc](#)
- ◆ [DH] [nginx/auto/cc/ccc](#)
- ◆ [DH] [nginx/auto/cc/conf](#)
- ◆ [DH] [nginx/auto/cc/gcc](#)
- ◆ [DH] [nginx/auto/cc/icc](#)
- ◆ [DH] [nginx/auto/cc/msvc](#)
- ◆ [DH] [nginx/auto/cc/name](#)
- ◆ [DH] [nginx/auto/cc/owc](#)
- ◆ [DH] [nginx/auto/cc/sunc](#)
- ◆ [DH] [nginx/auto/define](#)
- ◆ [DH] [nginx/auto/endianess](#)
- ◆ [DH] [nginx/auto/feature](#)
- ◆ [DH] [nginx/auto/have](#)
- ◆ [DH] [nginx/auto/have_headers](#)
- ◆ [DH] [nginx/auto/headers](#)
- ◆ [DH] [nginx/auto/include](#)

- ◆ [DH] nginx/auto/init
- ◆ [DH] nginx/auto/install
- ◆ [DH] nginx/auto/lib/conf
- ◆ [DH] nginx/auto/lib/google-perftools/conf
- ◆ [DH] nginx/auto/lib/libxslt/conf
- ◆ [DH] nginx/auto/lib/make
- ◆ [DH] nginx/auto/lib/md5/conf
- ◆ [DH] nginx/auto/lib/md5/make
- ◆ [DH] nginx/auto/lib/md5/makefile.bcc
- ◆ [DH] nginx/auto/lib/md5/makefile.msvc
- ◆ [DH] nginx/auto/lib/md5/makefile.owc
- ◆ [DH] nginx/auto/lib/openssl/conf
- ◆ [DH] nginx/auto/lib/openssl/make
- ◆ [DH] nginx/auto/lib/pcre/conf
- ◆ [DH] nginx/auto/lib/pcre/make
- ◆ [DH] nginx/auto/lib/pcre/makefile.bcc
- ◆ [DH] nginx/auto/lib/pcre/makefile.msvc
- ◆ [DH] nginx/auto/lib/pcre/makefile.owc
- ◆ [DH] nginx/auto/lib/pcre/patch.config.in
- ◆ [DH] nginx/auto/lib/pcre/patch.pcre.c
- ◆ [DH] nginx/auto/lib/pcre/patch.pcre.in
- ◆ [DH] nginx/auto/lib/pcre/patch.pcre.in.owc
- ◆ [DH] nginx/auto/lib/perl/conf
- ◆ [DH] nginx/auto/lib/perl/make
- ◆ [DH] nginx/auto/lib/sha1/conf
- ◆ [DH] nginx/auto/lib/sha1/make
- ◆ [DH] nginx/auto/lib/sha1/makefile.bcc
- ◆ [DH] nginx/auto/lib/sha1/makefile.msvc
- ◆ [DH] nginx/auto/lib/sha1/makefile.owc
- ◆ [DH] nginx/auto/lib/test
- ◆ [DH] nginx/auto/lib/zlib/conf
- ◆ [DH] nginx/auto/lib/zlib/make
- ◆ [DH] nginx/auto/lib/zlib/makefile.bcc
- ◆ [DH] nginx/auto/lib/zlib/makefile.msvc
- ◆ [DH] nginx/auto/lib/zlib/makefile.owc
- ◆ [DH] nginx/auto/lib/zlib/patch.zlib.h
- ◆ [DH] nginx/auto/make
- ◆ [DH] nginx/auto/modules
- ◆ [DH] nginx/auto/nohave
- ◆ [DH] nginx/auto/options
- ◆ [DH] nginx/auto/os/conf
- ◆ [DH] nginx/auto/os/darwin
- ◆ [DH] nginx/auto/os/features
- ◆ [DH] nginx/auto/os/freebsd
- ◆ [DH] nginx/auto/os/linux
- ◆ [DH] nginx/auto/os/solaris
- ◆ [DH] nginx/auto/os/win32
- ◆ [DH] nginx/auto/sources
- ◆ [DH] nginx/auto/stubs
- ◆ [DH] nginx/auto/summary
- ◆ [DH] nginx/auto/threads
- ◆ [DH] nginx/auto/types/sizeof
- ◆ [DH] nginx/auto/types/typedef
- ◆ [DH] nginx/auto/types/uintptr_t

- ◆ [DH] nginx/auto/types/value
- ◆ [DH] nginx/auto/unix
- ◆ [DH] nginx/conf/fastcgi_params
- ◆ [DH] nginx/conf/koi-utf
- ◆ [DH] nginx/conf/koi-win
- ◆ [DH] nginx/conf/mime.types
- ◆ [DH] nginx/conf/nginx.conf
- ◆ [DH] nginx/conf/win-utf
- ◆ [DH] nginx/configure
- ◆ [DH] nginx/contrib/README
- ◆ [DH] nginx/contrib/geo2nginx.pl
- ◆ [DH] nginx/contrib/unicode2nginx/koi-utf
- ◆ [DH] nginx/contrib/unicode2nginx/unicode-to-nginx.pl
- ◆ [DH] nginx/contrib/unicode2nginx/win-utf
- ◆ [DH] nginx/html/50x.html
- ◆ [DH] nginx/html/index.html
- ◆ [DH] nginx/src/core/nginx.c
- ◆ [DH] nginx/src/core/nginx.h
- ◆ [DH] nginx/src/core/nginx_array.c
- ◆ [DH] nginx/src/core/nginx_array.h
- ◆ [DH] nginx/src/core/nginx_buf.c
- ◆ [DH] nginx/src/core/nginx_buf.h
- ◆ [DH] nginx/src/core/nginx_conf_file.c
- ◆ [DH] nginx/src/core/nginx_conf_file.h
- ◆ [DH] nginx/src/core/nginx_config.h
- ◆ [DH] nginx/src/core/nginx_connection.c
- ◆ [DH] nginx/src/core/nginx_connection.h
- ◆ [DH] nginx/src/core/nginx_core.h
- ◆ [DH] nginx/src/core/nginx_cpufreq.c
- ◆ [DH] nginx/src/core/nginx_crc.h
- ◆ [DH] nginx/src/core/nginx_crc32.c
- ◆ [DH] nginx/src/core/nginx_crc32.h
- ◆ [DH] nginx/src/core/nginx_cycle.c
- ◆ [DH] nginx/src/core/nginx_cycle.h
- ◆ [DH] nginx/src/core/nginx_file.c
- ◆ [DH] nginx/src/core/nginx_file.h
- ◆ [DH] nginx/src/core/nginx_garbage_collector.c
- ◆ [DH] nginx/src/core/nginx_garbage_collector.h
- ◆ [DH] nginx/src/core/nginx_hash.c
- ◆ [DH] nginx/src/core/nginx_hash.h
- ◆ [DH] nginx/src/core/nginx_inet.c
- ◆ [DH] nginx/src/core/nginx_inet.h
- ◆ [DH] nginx/src/core/nginx_list.c
- ◆ [DH] nginx/src/core/nginx_list.h
- ◆ [DH] nginx/src/core/nginx_log.c
- ◆ [DH] nginx/src/core/nginx_log.h
- ◆ [DH] nginx/src/core/nginx_md5.h
- ◆ [DH] nginx/src/core/nginx_open_file_cache.c
- ◆ [DH] nginx/src/core/nginx_open_file_cache.h
- ◆ [DH] nginx/src/core/nginx_output_chain.c
- ◆ [DH] nginx/src/core/nginx_palloc.c
- ◆ [DH] nginx/src/core/nginx_palloc.h
- ◆ [DH] nginx/src/core/nginx_parse.c
- ◆ [DH] nginx/src/core/nginx_parse.h

- ◆ [DH] nginx/src/core/nginx_queue.c
- ◆ [DH] nginx/src/core/nginx_queue.h
- ◆ [DH] nginx/src/core/nginx_radix_tree.c
- ◆ [DH] nginx/src/core/nginx_radix_tree.h
- ◆ [DH] nginx/src/core/nginx_rbtree.c
- ◆ [DH] nginx/src/core/nginx_rbtree.h
- ◆ [DH] nginx/src/core/nginx_regex.c
- ◆ [DH] nginx/src/core/nginx_regex.h
- ◆ [DH] nginx/src/core/nginx_resolver.c
- ◆ [DH] nginx/src/core/nginx_resolver.h
- ◆ [DH] nginx/src/core/nginx_sha1.h
- ◆ [DH] nginx/src/core/nginx_shmtx.c
- ◆ [DH] nginx/src/core/nginx_shmtx.h
- ◆ [DH] nginx/src/core/nginx_slab.c
- ◆ [DH] nginx/src/core/nginx_slab.h
- ◆ [DH] nginx/src/core/nginx_spinlock.c
- ◆ [DH] nginx/src/core/nginx_string.c
- ◆ [DH] nginx/src/core/nginx_string.h
- ◆ [DH] nginx/src/core/nginx_times.c
- ◆ [DH] nginx/src/core/nginx_times.h
- ◆ [DH] nginx/src/event/modules/nginx_aio_module.c
- ◆ [DH] nginx/src/event/modules/nginx_devpoll_module.c
- ◆ [DH] nginx/src/event/modules/nginx_epoll_module.c
- ◆ [DH] nginx/src/event/modules/nginx_eventport_module.c
- ◆ [DH] nginx/src/event/modules/nginx_kqueue_module.c
- ◆ [DH] nginx/src/event/modules/nginx_kqueue_module.h
- ◆ [DH] nginx/src/event/modules/nginx_poll_module.c
- ◆ [DH] nginx/src/event/modules/nginx_rtsig_module.c
- ◆ [DH] nginx/src/event/modules/nginx_select_module.c
- ◆ [DH] nginx/src/event/nginx_event.c
- ◆ [DH] nginx/src/event/nginx_event.h
- ◆ [DH] nginx/src/event/nginx_event_accept.c
- ◆ [DH] nginx/src/event/nginx_event_busy_lock.c
- ◆ [DH] nginx/src/event/nginx_event_busy_lock.h
- ◆ [DH] nginx/src/event/nginx_event_connect.c
- ◆ [DH] nginx/src/event/nginx_event_connect.h
- ◆ [DH] nginx/src/event/nginx_event_mutex.c
- ◆ [DH] nginx/src/event/nginx_event_openssl.c
- ◆ [DH] nginx/src/event/nginx_event_openssl.h
- ◆ [DH] nginx/src/event/nginx_event_pipe.c
- ◆ [DH] nginx/src/event/nginx_event_pipe.h
- ◆ [DH] nginx/src/event/nginx_event_posted.c
- ◆ [DH] nginx/src/event/nginx_event_posted.h
- ◆ [DH] nginx/src/event/nginx_event_timer.c
- ◆ [DH] nginx/src/event/nginx_event_timer.h
- ◆ [DH] nginx/src/http/modules/nginx_http_access_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_addition_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_auth_basic_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_autoindex_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_browser_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_charset_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_chunked_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_dav_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_empty_gif_module.c

- ◆ [DH] nginx/src/http/modules/nginx_http_fastcgi_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_flv_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_geo_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_gzip_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_gzip_static_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_headers_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_index_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_limit_req_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_limit_zone_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_log_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_map_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_memcached_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_not_modified_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_proxy_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_random_index_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_range_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_realip_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_referer_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_rewrite_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_secure_link_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_ssi_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_ssi_filter_module.h
- ◆ [DH] nginx/src/http/modules/nginx_http_ssl_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_ssl_module.h
- ◆ [DH] nginx/src/http/modules/nginx_http_static_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_stub_status_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_sub_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_upstream_ip_hash_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_userid_filter_module.c
- ◆ [DH] nginx/src/http/modules/nginx_http_xslt_filter_module.c
- ◆ [DH] nginx/src/http/modules/perl/Makefile.PL
- ◆ [DH] nginx/src/http/modules/perl/nginx.pm
- ◆ [DH] nginx/src/http/modules/perl/nginx.xs
- ◆ [DH] nginx/src/http/modules/perl/nginx_http_perl_module.c
- ◆ [DH] nginx/src/http/modules/perl/nginx_http_perl_module.h
- ◆ [DH] nginx/src/http/modules/perl/typemap
- ◆ [DH] nginx/src/http/nginx_http.c
- ◆ [DH] nginx/src/http/nginx_http.h
- ◆ [DH] nginx/src/http/nginx_http_busy_lock.c
- ◆ [DH] nginx/src/http/nginx_http_busy_lock.h
- ◆ [DH] nginx/src/http/nginx_http_cache.c
- ◆ [DH] nginx/src/http/nginx_http_cache.h
- ◆ [DH] nginx/src/http/nginx_http_config.h
- ◆ [DH] nginx/src/http/nginx_http_copy_filter_module.c
- ◆ [DH] nginx/src/http/nginx_http_core_module.c
- ◆ [DH] nginx/src/http/nginx_http_core_module.h
- ◆ [DH] nginx/src/http/nginx_http_file_cache.c
- ◆ [DH] nginx/src/http/nginx_http_header_filter_module.c
- ◆ [DH] nginx/src/http/nginx_http_parse.c
- ◆ [DH] nginx/src/http/nginx_http_parse_time.c
- ◆ [DH] nginx/src/http/nginx_http_postpone_filter_module.c
- ◆ [DH] nginx/src/http/nginx_http_request.c
- ◆ [DH] nginx/src/http/nginx_http_request.h
- ◆ [DH] nginx/src/http/nginx_http_request_body.c

- ◆ [DH] nginx/src/http/nginx_http_script.c
- ◆ [DH] nginx/src/http/nginx_http_script.h
- ◆ [DH] nginx/src/http/nginx_http_special_response.c
- ◆ [DH] nginx/src/http/nginx_http_upstream.c
- ◆ [DH] nginx/src/http/nginx_http_upstream.h
- ◆ [DH] nginx/src/http/nginx_http_upstream_round_robin.c
- ◆ [DH] nginx/src/http/nginx_http_upstream_round_robin.h
- ◆ [DH] nginx/src/http/nginx_http_variables.c
- ◆ [DH] nginx/src/http/nginx_http_variables.h
- ◆ [DH] nginx/src/http/nginx_http_write_filter_module.c
- ◆ [DH] nginx/src/mail/nginx_mail.c
- ◆ [DH] nginx/src/mail/nginx_mail.h
- ◆ [DH] nginx/src/mail/nginx_mail_auth_http_module.c
- ◆ [DH] nginx/src/mail/nginx_mail_core_module.c
- ◆ [DH] nginx/src/mail/nginx_mail_handler.c
- ◆ [DH] nginx/src/mail/nginx_mail_imap_handler.c
- ◆ [DH] nginx/src/mail/nginx_mail_imap_module.c
- ◆ [DH] nginx/src/mail/nginx_mail_imap_module.h
- ◆ [DH] nginx/src/mail/nginx_mail_parse.c
- ◆ [DH] nginx/src/mail/nginx_mail_pop3_handler.c
- ◆ [DH] nginx/src/mail/nginx_mail_pop3_module.c
- ◆ [DH] nginx/src/mail/nginx_mail_pop3_module.h
- ◆ [DH] nginx/src/mail/nginx_mail_proxy_module.c
- ◆ [DH] nginx/src/mail/nginx_mail_smtp_handler.c
- ◆ [DH] nginx/src/mail/nginx_mail_smtp_module.c
- ◆ [DH] nginx/src/mail/nginx_mail_smtp_module.h
- ◆ [DH] nginx/src/mail/nginx_mail_ssl_module.c
- ◆ [DH] nginx/src/mail/nginx_mail_ssl_module.h
- ◆ [DH] nginx/src/misc/nginx_cpp_test_module.cpp
- ◆ [DH] nginx/src/misc/nginx_google_perftools_module.c
- ◆ [DH] nginx/src/os/unix/nginx_aio.h
- ◆ [DH] nginx/src/os/unix/nginx_aio_read.c
- ◆ [DH] nginx/src/os/unix/nginx_aio_read_chain.c
- ◆ [DH] nginx/src/os/unix/nginx_aio_write.c
- ◆ [DH] nginx/src/os/unix/nginx_aio_write_chain.c
- ◆ [DH] nginx/src/os/unix/nginx_alloc.c
- ◆ [DH] nginx/src/os/unix/nginx_alloc.h
- ◆ [DH] nginx/src/os/unix/nginx_atomic.h
- ◆ [DH] nginx/src/os/unix/nginx_channel.c
- ◆ [DH] nginx/src/os/unix/nginx_channel.h
- ◆ [DH] nginx/src/os/unix/nginx_daemon.c
- ◆ [DH] nginx/src/os/unix/nginx_darwin.h
- ◆ [DH] nginx/src/os/unix/nginx_darwin_config.h
- ◆ [DH] nginx/src/os/unix/nginx_darwin_init.c
- ◆ [DH] nginx/src/os/unix/nginx_darwin_sendfile_chain.c
- ◆ [DH] nginx/src/os/unix/nginx_errno.c
- ◆ [DH] nginx/src/os/unix/nginx_errno.h
- ◆ [DH] nginx/src/os/unix/nginx_files.c
- ◆ [DH] nginx/src/os/unix/nginx_files.h
- ◆ [DH] nginx/src/os/unix/nginx_freebsd.h
- ◆ [DH] nginx/src/os/unix/nginx_freebsd_config.h
- ◆ [DH] nginx/src/os/unix/nginx_freebsd_init.c
- ◆ [DH] nginx/src/os/unix/nginx_freebsd_rfork_thread.c
- ◆ [DH] nginx/src/os/unix/nginx_freebsd_rfork_thread.h

- ◆ [DH] nginx/src/os/unix/nginx_freebsd_sendfile_chain.c
- ◆ [DH] nginx/src/os/unix/nginx_gcc_atomic_amd64.h
- ◆ [DH] nginx/src/os/unix/nginx_gcc_atomic_ppc.h
- ◆ [DH] nginx/src/os/unix/nginx_gcc_atomic_sparc64.h
- ◆ [DH] nginx/src/os/unix/nginx_gcc_atomic_x86.h
- ◆ [DH] nginx/src/os/unix/nginx_linux.h
- ◆ [DH] nginx/src/os/unix/nginx_linux_config.h
- ◆ [DH] nginx/src/os/unix/nginx_linux_init.c
- ◆ [DH] nginx/src/os/unix/nginx_linux_sendfile_chain.c
- ◆ [DH] nginx/src/os/unix/nginx_os.h
- ◆ [DH] nginx/src/os/unix/nginx_posix_config.h
- ◆ [DH] nginx/src/os/unix/nginx_posix_init.c
- ◆ [DH] nginx/src/os/unix/nginx_process.c
- ◆ [DH] nginx/src/os/unix/nginx_process.h
- ◆ [DH] nginx/src/os/unix/nginx_process_cycle.c
- ◆ [DH] nginx/src/os/unix/nginx_process_cycle.h
- ◆ [DH] nginx/src/os/unix/nginx_pthread_thread.c
- ◆ [DH] nginx/src/os/unix/nginx_readv_chain.c
- ◆ [DH] nginx/src/os/unix/nginx_recv.c
- ◆ [DH] nginx/src/os/unix/nginx_send.c
- ◆ [DH] nginx/src/os/unix/nginx_setproctitle.c
- ◆ [DH] nginx/src/os/unix/nginx_setproctitle.h
- ◆ [DH] nginx/src/os/unix/nginx_shmem.c
- ◆ [DH] nginx/src/os/unix/nginx_shmem.h
- ◆ [DH] nginx/src/os/unix/nginx_socket.c
- ◆ [DH] nginx/src/os/unix/nginx_socket.h
- ◆ [DH] nginx/src/os/unix/nginx_solaris.h
- ◆ [DH] nginx/src/os/unix/nginx_solaris_config.h
- ◆ [DH] nginx/src/os/unix/nginx_solaris_init.c
- ◆ [DH] nginx/src/os/unix/nginx_solaris_sendfilev_chain.c
- ◆ [DH] nginx/src/os/unix/nginx_sunpro_amd64.il
- ◆ [DH] nginx/src/os/unix/nginx_sunpro_atomic_sparc64.h
- ◆ [DH] nginx/src/os/unix/nginx_sunpro_sparc64.il
- ◆ [DH] nginx/src/os/unix/nginx_sunpro_x86.il
- ◆ [DH] nginx/src/os/unix/nginx_sunpro_x86.map
- ◆ [DH] nginx/src/os/unix/nginx_thread.h
- ◆ [DH] nginx/src/os/unix/nginx_time.c
- ◆ [DH] nginx/src/os/unix/nginx_time.h
- ◆ [DH] nginx/src/os/unix/nginx_udp_recv.c
- ◆ [DH] nginx/src/os/unix/nginx_user.c
- ◆ [DH] nginx/src/os/unix/nginx_user.h
- ◆ [DH] nginx/src/os/unix/nginx_writev_chain.c
- ◆ [DH] nginx/src/os/unix/rfork_thread.S

Monitoring

We will be using monit, light-weight process monitor written in C to monitor servers on our virtual machine. It will do startup of our services, monitor load and report alerts.

For it to work, we need to have a script which will start/stop squeak.

Use following configuration: [monitrc](#)

Also install following two shells scripts in `'/srv'` so that monit can call them to start or stop services

- [seaside.sh](#)
- [nginx.sh](#)

```
# check syntax
root@seaside:~# /etc/init.d/monit syntax
Control file syntax OK
```

And you are ready to go.

- [monit@squeak1](#) to view current server status

Test

open <http://hostname:8080/seaside/> to test seaside

More info

- <http://onsmalltalk.com/scaling-seaside-more-advanced-load-balancing-and-publishing>
- <http://blog.blobworks.com/2008/12/16/squeak-in-jail/>
- <https://bytesmith.seework.com>

```
{weblog_list: }
```